

[ AutoCAD - Thu Mar 15 14:45:29 2018 ]-----

Command: Specify opposite corner or [Fence/WPolygon/CPolygon]:  
Command: LIST  
96 found

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous  
LineWeight: Default  
Handle 4c9  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 620750,9477 Y 9751649,7 Z 0  
height 7,5  
text FER 2  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

Press

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous  
ENTER to continue:  
LineWeight: Default  
Handle 4c6  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 620469,6855 Y 9751522,28 Z -13866  
height 7,5  
text FER 1  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous  
LineWeight: Default  
Handle 4c3  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 620893,06 Y 9750986,21 Z -13866  
height 7,5  
text 5M  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous  
LineWeight: Default  
Handle 4c0

	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	621101,0408 Y	9750462,34 Z	-13866
	height		7,5			
	text	3M				
Press	ENTER	to	continue:			
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle	4bd				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	620670,3586 Y	9747965,76 Z	-13866
	height		7,5			
	text		88			
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle	4ba				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	620547,2818 Y	9748158,76 Z	-13866
	height		7,5			
	text	1 M				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	ENTER	to	continue:			
Press	Handle	4b7				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	618949,9932 Y	9750089,19 Z	-13866
	height		7,5			
	text	29 PM				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		

generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	Default					
Handle	4b4					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	618018,9908 Y	9752857,2 Z	-13866	
height		7,5				
text	23 PM					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	Default					
Handle	4ae					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	616708,7229 Y	9752992,32 Z	-13866	
height		7,5				
text	21 PM					
rotation	angle		0			
ENTER	to	continue:				
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	Default					
Handle	4ab					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	616421,6417 Y	9753060,62 Z	-13866	
height		7,5				
text	19 PM					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	Default					
Handle	4a8					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				

Press

	mid height text	point,	X	615608,6829 Y	9753184,94 Z	-13866
	rotation	angle	7,5	0		
	width	scale	factor	1		
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle	4a5				
Press	ENTER	to	continue:			
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid height text	point,	X	614433,7834 Y	9751457,59 Z	-13866
	rotation	angle	7,5	0		
	width	scale	9:00 p.m.	factor	1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle	4a2				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid height text	point,	X	613259,2364 Y	9750747,03 Z	-13866
	rotation	angle	7,5	0		
	width	scale	7:00 p.m.	factor	1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle	49f				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid height text	point,	X	620653,2184 Y	9748386,95 Z	-13866
	rotation	angle	7,5	0		
	width	scale	2 M	factor	1	
Press	ENTER	to	continue:			
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			

Color: 7 (white) Linetype: Continuous  
 LineWeight: Default  
 Handle 49c  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 620275,4347 Y 9747961,43 Z -13866  
 height 7,5  
 text 32 PM  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: Default  
 Handle 499  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 618803,0045 Y 9749155,3 Z -13866  
 height 7,5  
 text 30 PM  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

Press TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: Default  
 Handle 496  
 Style Style-IGM742I  
 ENTER to continue:  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 618916,4444 Y 9750371,74 Z -13866  
 height 7,5  
 text 28 PM  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: Default  
 Handle 493  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 619090,5695 Y 9751142,25 Z -13866  
 height 7,5  
 text 26 PM  
 rotation angle 0

	width	scale	factor		1		
	obliquing	angle		0			
	generation	normal					
	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:	Default					
	Handle		490				
	Style	Style-IGM742I					
	Annotative:	No					
	Font	file	IGM742I.shx				
	substituted	by	simplex.shx				
	mid	point,	X		618734,8521 Y	9752012,08 Z	-13866
	height		7,5				
	text	24 PM					
	rotation	angle		0			
	width	scale	factor		1		
	obliquing	angle		0			
Press	ENTER	to	continue:				
	generation	normal					
	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:	Default					
	Handle		48d				
	Style	Style-IGM742I					
	Annotative:	No					
	Font	file	IGM742I.shx				
	substituted	by	simplex.shx				
	mid	point,	X		616985,0887 Y	9752904,17 Z	-13866
	height		7,5				
	text	22 PM					
	rotation	angle		0			
	width	scale	factor		1		
	obliquing	angle		0			
	generation	normal					
	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:	Default					
	Handle		48a				
	Style	Style-IGM742I					
	Annotative:	No					
	Font	file	IGM742I.shx				
	substituted	by	simplex.shx				
	mid	point,	X		616448,0884 Y	9752915,89 Z	-13866
	height		7,5				
	text	20 PM					
	rotation	angle		0			
	width	scale	factor		1		
	obliquing	angle		0			
	generation	normal					
	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:	Default					
	Handle		487				
	Style	Style-IGM742I					
	Annotative:	No					

Press	ENTER	to	continue:			
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	615782,2445 Y	9753057,13 Z	-13866
	height		7,5			
	text		12:00 p.m.			
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle		484			
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	614953,6422 Y	9751482,34 Z	-13866
	height		7,5			
	text		10:00 p.m.			
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle		481			
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	613595,62 Y	9750404,41 Z	-13866
	height		7,5			
	text		6:00 p.m.			
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
Press	ENTER	to	continue:			
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle		47e			
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	614224,7772 Y	9748897,79 Z	-13866
	height		7,5			
	text		5:00 p.m.			
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				

	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:	Default					
	Handle	47b					
	Style	Style-IGM742I					
	Annotative:	No					
	Font	file	IGM742I.shx				
	substituted	by	simplex.shx				
	mid	point,	X	615496,5322 Y	9746744,54 Z	-13866	
	height		7,5				
	text		4:00 p.m.				
	rotation	angle		0			
	width	scale	factor		1		
	obliquing	angle		0			
	generation	normal					
	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:	Default					
	Handle	478					
	Style	Style-IGM742I					
	Annotative:	No					
	Font	file	IGM742I.shx				
Press	ENTER	to	continue:				
	substituted	by	simplex.shx				
	mid	point,	X	615122,3622 Y	9746750,92 Z	-13866	
	height		7,5				
	text		3:00 p.m.				
	rotation	angle		0			
	width	scale	factor		1		
	obliquing	angle		0			
	generation	normal					
	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:	Default					
	Handle	475					
	Style	Style-IGM742I					
	Annotative:	No					
	Font	file	IGM742I.shx				
	substituted	by	simplex.shx				
	mid	point,	X	614253,1756 Y	9745053,97 Z	-13866	
	height		7,5				
	text		2:00 p.m.				
	rotation	angle		0			
	width	scale	factor		1		
	obliquing	angle		0			
	generation	normal					
	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:	Default					
	Handle	472					
	Style	Style-IGM742I					
	Annotative:	No					
	Font	file	IGM742I.shx				
	substituted	by	simplex.shx				
	mid	point,	X	613831,5005 Y	9745053,97 Z	-13866	
	height		7,5				



text 1:00 p.m.

rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

Press

ENTER to continue:  
TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous

LineWeight: Default  
Handle 46f  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 621830,2386 Y 9747135,38 Z -13866  
height 7,5

text "84"  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous

LineWeight: Default  
Handle 46c  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 621383,1481 Y 9746670,64 Z 1941,2  
height 7,5

text "83"  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous

LineWeight: Default  
Handle 469  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
ENTER to continue:  
mid point, X 620480,1626 Y 9746119,12 Z 1941,2  
height 7,5

Press

text "81"  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous  
LineWeight: Default

Handle 467  
 Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 620813,6938 Y 9745965,41 Z -13866  
 height 7,5  
 text "80"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: Default

Handle 464  
 Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 620265,7876 Y 9744389,74 Z -13866  
 height 7,5  
 text "78"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

Press TEXT Layer: AYUDAS A LA NAVEGACION  
 ENTER to continue:  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: Default

Handle 461  
 Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 619721,5432 Y 9744204,76 Z -13866  
 height 7,5  
 text "76"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: Default

Handle 45e  
 Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 619823,8461 Y 9744593,24 Z 1941,2  
 height 7,5  
 text "77"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0

generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous  
LineWeight: Default  
Handle 45b  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 618597,1202 Y 9744908,1 Z -13866  
ENTER to continue:  
height 6,25  
text "75"  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

Press

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous  
LineWeight: Default  
Handle 458  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 617915,7876 Y 9744389,74 Z -13866  
height 7,5  
text "74"  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous  
LineWeight: Default  
Handle 446  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 612470,5125 Y 9739321,19 Z -13866  
height 7,5  
text "66"  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

Press

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
ENTER to continue:  
Color: 7 (white) Linetype: Continuous  
LineWeight: Default  
Handle 443  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx

substituted by simplex.shx  
 mid point, X 613465,4151 Y 9740515,16 Z 1941,2  
 height 7,5  
 text "67"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: Default  
 Handle 43f  
 Style Style-IGM742I

Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 610124,0973 Y 9738762,4 Z -13866  
 height 7,5  
 text "64"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: 0,13 mm  
 Handle 43c  
 Style Style-IGM742I

Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 608950,5125 Y 9735676,19 Z -13866  
 height 7,5  
 Press ENTER to continue:  
 text "62"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: 0,13 mm  
 Handle 439  
 Style Style-IGM742I

Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 609015,7112 Y 9733513,58 Z 1941,2  
 height 7,5  
 text "E1"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space

	Color:	7 (white)	Linetype:	Continuous		
	LineWeight:	Default				
	Handle	438				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file IGM742I.shx				
	substituted	by simplex.shx				
	mid	point, X	607555,4151 Y	9732490,16 Z	1941,2	
	height	7,5				
	text	"59"				
	rotation	angle	0			
	width	scale factor		1		
	obliquing	angle	0			
	generation	normal				
	TEXT	Layer: AYUDAS A LA NAVEGACION				
	Space:	Model space				
	Color:	7 (white)	Linetype:	Continuous		
Press	ENTER	to continue:				
	LineWeight:	Default				
	Handle	435				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file IGM742I.shx				
	substituted	by simplex.shx				
	mid	point, X	606810,5125 Y	9730241,08 Z	-13866	
	height	7,5				
	text	58				
	rotation	angle	0			
	width	scale factor		1		
	obliquing	angle	0			
	generation	normal				
	TEXT	Layer: AYUDAS A LA NAVEGACION				
	Space:	Model space				
	Color:	7 (white)	Linetype:	Continuous		
	LineWeight:	Default				
	Handle	432				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file IGM742I.shx				
	substituted	by simplex.shx				
	mid	point, X	606147,9392 Y	9730694,21 Z	1941,2	
	height	7,5				
	text	"57"				
	rotation	angle	0			
	width	scale factor		1		
	obliquing	angle	0			
	generation	normal				
	TEXT	Layer: AYUDAS A LA NAVEGACION				
	Space:	Model space				
	Color:	7 (white)	Linetype:	Continuous		
	LineWeight:	Default				
	Handle	42f				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file IGM742I.shx				
	substituted	by simplex.shx				
	mid	point, X	605182,2972 Y	9728082,09 Z	1941,2	
	height	7,5				
	text	"54"				
Press	ENTER	to continue:				

rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	Default					
Handle	42b					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	604546,8759 Y	9728539,8 Z	1941,2	
height		7,5				
text	"53"					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	0,13 mm					
Handle	429					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	603286,107 Y	9726233,34 Z	1941,2	
height		7,5				
text	"51"					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	0,13 mm					
ENTER	to	continue:				
Handle	426					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	602874,5591 Y	9724117,58 Z	-13866	
height		7,5				
text	"50"					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	0,13 mm					
Handle	423					
Style	Style-IGM742I					

Press

	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	602071,245 Y	9722179,56 Z	-13866
	height		7,5			
	text	"48"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:		0,13 mm			
	Handle		420			
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	601311,0798 Y	9720352,41 Z	-13866
	height		7,5			
	text	"46"				
	rotation	angle		0		
Press	ENTER	to	continue:			
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:		0,13 mm			
	Handle		41d			
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	600901,6793 Y	9720517,74 Z	1941,2
	height		7,5			
	text	"45"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:		0,13 mm			
	Handle		419			
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	600179,0569 Y	9718751,15 Z	1941,2
	height		7,5			
	text	"43"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				

	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:		0,13 mm				
	Handle		416				
Press	ENTER	to	continue:				
	Style	Style-IGM742I					
	Annotative:	No					
	Font	file	IGM742I.shx				
	substituted	by	simplex.shx				
	mid	point,	X	600522,3195 Y	9718582,04 Z	-13866	
	height		7,5				
	text	"44"					
	rotation	angle		0			
	width	scale	factor		1		
	obliquing	angle		0			
	generation	normal					
	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:		0,13 mm				
	Handle		414				
	Style	Style-IGM742I					
	Annotative:	No					
	Font	file	IGM742I.shx				
	substituted	by	simplex.shx				
	mid	point,	X	599568,6615 Y	9716677,3 Z	-13866	
	height		7,5				
	text	"40"					
	rotation	angle		0			
	width	scale	factor		1		
	obliquing	angle		0			
	generation	normal					
	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:		0,13 mm				
	Handle		411				
	Style	Style-IGM742I					
	Annotative:	No					
	Font	file	IGM742I.shx				
	substituted	by	simplex.shx				
	mid	point,	X	599294,2125 Y	9716960,84 Z	1941,2	
	height		7,5				
	text	"39"					
	rotation	angle		0			
	width	scale	factor		1		
Press	ENTER	to	continue:				
	obliquing	angle		0			
	generation	normal					
	TEXT	Layer:	AYUDAS A LA NAVEGACION				
	Space:	Model	space				
	Color:		7 (white)	Linetype:	Continuous		
	LineWeight:		0,13 mm				
	Handle	40e					
	Style	Style-IGM742I					
	Annotative:	No					
	Font	file	IGM742I.shx				
	substituted	by	simplex.shx				
	mid	point,	X	597883,653 Y	9715596 Z	1941,2	



height		7,5				
text	"37"					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:		0,13 mm				
Handle		409				
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	598145,5125 Y	9715311,19 Z	-13866	
height		7,5				
text	"38"					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:		0,13 mm				
Handle		403				
Style	Style-IGM742I					
ENTER	to	continue:				
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	596801,981 Y	9714242,75 Z	-13866	
height		7,5				
text	"36"					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:		0,13 mm				
Handle		400				
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	596549,8849 Y	9714560,02 Z	1941,2	
height		7,5				
text	"35"					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:		0,13 mm				

Press

	Handle	3fd				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	594024,9567 Y	9712557,27 Z	-13866
	height		7,5			
	text	"32"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
Press	ENTER	to	continue:			
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:		0,13 mm			
	Handle	3fa				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	595145,9684 Y	9713370,84 Z	1941,2
	height		7,5			
	text	"33"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:		0,13 mm			
	Handle	3f7				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	592565,4151 Y	9712300,97 Z	1941,2
	height		7,5			
	text	"29"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:		0,13 mm			
	Handle	3f4				
	Style	Style-IGM742I				
	Annotative:	No				
Press	ENTER	to	continue:			
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	591362,9618 Y	9711372,69 Z	-13866
	height		7,5			
	text	"28"				
	rotation	angle		0		
	width	scale	factor		1	

obliquing angle 0  
 generation normal  
  
 TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: 0,13 mm  
 Handle 3f1  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 589210,4549 Y 9710476,75 Z -13866  
 height 7,5  
 text "26"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: 0,13 mm  
 Handle 3ee  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 591209,8878 Y 9711744,46 Z 1941,2  
 height 7,5  
 text "27"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

Press

ENTER to continue:  
  
 TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: 0,13 mm  
 Handle 3eb  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 587713,8377 Y 9709641,78 Z 0  
 height 7,5  
 text "24"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: 0,13 mm  
 Handle 3,00E+08  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx

	substituted	by	simplex.shx			
	mid	point,	X	589062,8217	Y	9710861,44 Z 1941,2
	height		7,5			
	text	"25"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle		3,00E+04			
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
Press	ENTER	to	continue:			
	substituted	by	simplex.shx			
	mid	point,	X	585799,5784	Y	9708636,11 Z 1941,2
	height		6,25			
	text	"B1"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle		3,00E+03			
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	586458,0801	Y	9708280,95 Z -13866
	height		7,5			
	text	"22"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle		3,00E+00			
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	586437,4531	Y	9708758,22 Z 0
	height		7,5			
	text	"23"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
Press	ENTER	to	continue:			
	TEXT	Layer:	AYUDAS A LA NAVEGACION			

Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	Default					
Handle	3dd					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	585845,5125 Y	9706346,19 Z	-13866	
height		7,5				
text	"20"					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	Default					
Handle	3da					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	585440,4151 Y	9706380,16 Z	1941,2	
height		7,5				
text	"21"					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	Default					
Handle	3d7					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
ENTER	to	continue:				
mid	point,	X	585260,4151 Y	9703590,16 Z	1941,2	
height		7,5				
text	"17"					
rotation	angle		0			
width	scale	factor		1		
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:	Default					
Handle	3d4					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid	point,	X	585684,1131 Y	9703588,93 Z	-13866	
height		7,5				
text	"18"					

Press

rotation	angle		0			
width	scale	factor			1	
obliquing	angle		0			
generation	normal					
TEXT	Layer:	AYUDAS A LA NAVEGACION				
Space:	Model	space				
Color:		7 (white)	Linetype:	Continuous		
LineWeight:		0,13 mm				
Handle	3d1					
Style	Style-IGM742I					
Annotative:	No					
Font	file	IGM742I.shx				
substituted	by	simplex.shx				
mid/left	point,	X	585505,2202 Y	9699284,88 Z	-13866	
height		7,5				
text	"16"					
rotation	angle		0			
width	scale	factor			1	
obliquing	angle		0			
generation	normal					
Press	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	ENTER	to	continue:			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:		0,13 mm			
	Handle	3ce				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	start	point,	X	584531,5107 Y	9697255,11 Z	1941,2
	height		7,5			
	text	"15A"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:		0,13 mm			
	Handle	3cb				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid	point,	X	583595,4151 Y	9694495,16 Z	1941,2
	height		6,25			
	text	"15"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle	3c8				
	Style	Style-IGM742I				

Press	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid/left	point,	X	584754,8318 Y	9693765,09 Z	-13866
	ENTER	to	continue:			
	height		7,5			
	text	"14"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle	3c5				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid/left	point,	X	582295,203 Y	9693505,16 Z	1941,2
	height		7,5			
	text	"13"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle	3c2				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid/left	point,	X	580365,4837 Y	9694500,67 Z	-13866
	height		7,5			
	text	"12"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				
Press	TEXT	Layer:	AYUDAS A LA NAVEGACION			
	Space:	Model	space			
	ENTER	to	continue:			
	Color:		7 (white)	Linetype:	Continuous	
	LineWeight:	Default				
	Handle	3bf				
	Style	Style-IGM742I				
	Annotative:	No				
	Font	file	IGM742I.shx			
	substituted	by	simplex.shx			
	mid/left	point,	X	580529,6651 Y	9694690,16 Z	1941,2
	height		7,5			
	text	"11"				
	rotation	angle		0		
	width	scale	factor		1	
	obliquing	angle		0		
	generation	normal				

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: Default  
 Handle 3bc  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid/left point, X 578975,3203 Y 9695735,26 Z -13866  
 height 7,5  
 text "10"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: Default  
 Handle 3b9  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid/left point, X 578244,6664 Y 9696441 Z -13866  
 height 7,5  
 text to ENTER continue:  
 text "8A"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

Press

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: Default  
 Handle 3b7  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid/left point, X 578824,8005 Y 9696148,89 Z 1941,2  
 height 7,5  
 text "g"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: 0,13 mm  
 Handle 3b3  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid/left point, X 576941,1217 Y 9697488,25 Z -13866



	height		7,5					
	text	"8"						
	rotation	angle		0				
	width	scale	factor		1			
	obliquing	angle		0				
	generation	normal						
	TEXT	Layer:	AYUDAS A LA NAVEGACION					
	Space:	Model	space					
	Color:		7 (white)	Linetype:	Continuous			
Press	ENTER	to	continue:					
	LineWeight:		0,13 mm					
	Handle	3b0						
	Style	Style-IGM742I						
	Annotative:	No						
	Font	file	IGM742I.shx					
	substituted	by	simplex.shx					
	mid	point,	X	575325,5125 Y	9698306,19 Z	-13866		
	height		6,25					
	text	"6	A"					
	rotation	angle		0				
	width	scale	factor		1			
	obliquing	angle		0				
	generation	normal						
	TEXT	Layer:	AYUDAS A LA NAVEGACION					
	Space:	Model	space					
	Color:		7 (white)	Linetype:	Continuous			
	LineWeight:		0,13 mm					
	Handle	3ad						
	Style	Style-IGM742I						
	Annotative:	No						
	Font	file	IGM742I.shx					
	substituted	by	simplex.shx					
	mid	point,	X	575885,4151 Y	9698840,16 Z	1941,2		
	height		6,25					
	text	"7"						
	rotation	angle		0				
	width	scale	factor		1			
	obliquing	angle		0				
	generation	normal						
	TEXT	Layer:	AYUDAS A LA NAVEGACION					
	Space:	Model	space					
	Color:		7 (white)	Linetype:	Continuous			
	LineWeight:		0,13 mm					
	Handle	3aa						
	Style	Style-IGM742I						
	Annotative:	No						
	Font	file	IGM742I.shx					
	substituted	by	simplex.shx					
	mid	point,	X	572825,5125 Y	9698031,19 Z	-13866		
	height		6,25					
	text	"6"						
Press	ENTER	to	continue:					
	rotation	angle		0				
	width	scale	factor		1			
	obliquing	angle		0				
	generation	normal						
	TEXT	Layer:	AYUDAS A LA NAVEGACION					
	Space:	Model	space					
	Color:		7 (white)	Linetype:	Continuous			

LineWeight: 0,13 mm  
Handle 3a7  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 572760,966 Y 9698438,55 Z 1941,2  
height 6,25  
text "5"  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous  
LineWeight: 0,13 mm

Handle 3a4  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 570175,5125 Y 9697531,19 Z -13866  
height 6,25  
text "4"  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous  
LineWeight: 0,13 mm

Press ENTER to continue:  
Handle 3a1  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 570085,4151 Y 9697930,16 Z 1941,2  
height 6,25  
text "3"  
rotation angle 0  
width scale factor 1  
obliquing angle 0  
generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
Space: Model space  
Color: 7 (white) Linetype: Continuous  
LineWeight: 0,13 mm

Handle 39e  
Style Style-IGM742I  
Annotative: No  
Font file IGM742I.shx  
substituted by simplex.shx  
mid point, X 567065,5125 Y 9696931,19 Z -13866  
height 6,25  
text "2"  
rotation angle 0  
width scale factor 1

obliquing angle 0  
 generation normal  
  
 TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: 0,13 mm  
 Handle 39b  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 567086,3518 Y 9697370,16 Z 1941,2  
 height 6,25  
 text "1"  
 rotation angle 0  
 Press ENTER to continue:  
 width scale factor 1  
 obliquing angle 0  
 generation normal

TEXT Layer: AYUDAS A LA NAVEGACION  
 Space: Model space  
 Color: 7 (white) Linetype: Continuous  
 LineWeight: 0,13 mm  
 Handle 398  
 Style Style-IGM742I  
 Annotative: No  
 Font file IGM742I.shx  
 substituted by simplex.shx  
 mid point, X 565029,8771 Y 9696689,93 Z -0,0125  
 height 6,25  
 text "Boya de Mar"  
 rotation angle 0  
 width scale factor 1  
 obliquing angle 0  
 generation normal

Command:  
LIST

Select objects:

Command:  
LIST

Select objects:

Command:  
LIST

Select objects:

Command:  
LIST

Select objects:

Command:  
LIST

Select objects:

Command: \*Cancel\*

Command: \*Cancel\*

Command: LOGFILEOFF

SEDIMENTO	BOYA	X	Y	ANCHO DE CANAL	OBSERVACIONES	PROFUNDIDAD
	FER 2	620750,9477	9751649,696			
	FER 1	620469,6855	9751522,276			
	5M	620893,06	9750986,208			
	3M	621101,0408	9750462,345			
	88	620670,3586	9747965,762			9,5 M
<b>MATERIAL SUELTO</b>	<b>1 M</b>	<b>620547,2818</b>	<b>9748158,763</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	<b>10,5 M</b>
	29 PM	618949,9932	9750089,186			
<b>MATERIAL SUELTO</b>	<b>23 PM</b>	<b>618018,9908</b>	<b>9752857,199</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	<b>10,3 M</b>
	21 PM	616708,7229	9752992,316			
	19 PM	616421,6417	9753060,624			
	13 PM	615608,6829	9753184,942			
	9"PM"	614433,7834	9751457,591			
	7 "PM"	613259,2364	9750747,028			
	2 M	620653,2184	9748386,955			
<b>MATERIAL SUELTO</b>	<b>32 PM</b>	<b>620275,4347</b>	<b>9747961,429</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	<b>13,8 M</b>
<b>MATERIAL SUELTO</b>	<b>30 PM</b>	<b>618803,0045</b>	<b>9749155,303</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	<b>12,4 M</b>
<b>MATERIAL SUELTO</b>	<b>28 PM</b>	<b>618916,4444</b>	<b>9750371,742</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	<b>13 M</b>
<b>MATERIAL SUELTO</b>	<b>26 PM</b>	<b>619090,5695</b>	<b>9751142,249</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	<b>11,8 M</b>
	24 PM	618734,8521	9752012,081			
<b>MATERIAL SUELTO</b>	<b>22 PM</b>	<b>616985,0887</b>	<b>9752904,174</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>11,5 M</b>
	20 PM	616448,0884	9752915,892			
<b>MATERIAL SUELTO</b>	<b>12 "PM"</b>	<b>615782,2445</b>	<b>9753057,134</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	<b>12 M</b>
	10 "PM"	614953,6422	9751482,342			
	6 "PM"	613595,62	9750404,407			
<b>MATERIAL SUELTO</b>	<b>5 "PM"</b>	<b>614224,7772</b>	<b>9748897,792</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	<b>23,7 M</b>
<b>MATERIAL SUELTO</b>	<b>4 "PM"</b>	<b>615496,5322</b>	<b>9746744,545</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	<b>35 M</b>
<b>MATERIAL SUELTO</b>	<b>"84"</b>	<b>621830,2386</b>	<b>9747135,384</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	
<b>MATERIAL SUELTO</b>	<b>"83"</b>	<b>621383,1481</b>	<b>9746670,642</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	<b>20,5 M</b>
	"81"	620480,1626	9746119,12			20,5 M
<b>MATERIAL SUELTO</b>	<b>"80"</b>	<b>620813,6938</b>	<b>9745965,405</b>	<b>160 M</b>	<b>REQUIERE DRAGADO</b>	<b>20,5M</b>
	"78"	620265,7876	9744389,744	120 M	NO REQUIERE DRAGADO POZA	
	"76"	619721,5432	9744204,76	120 M	NO REQUIERE DRAGADO POZA	
	"77"	619823,8461	9744593,235	120 M	NO REQUIERE DRAGADO POZA	
	"75"	618597,1202	9744908,097	120 M	NO REQUIERE DRAGADO POZA	
	"74"	617915,7876	9744389,744	120 M	NO REQUIERE DRAGADO POZA	
<b>MATERIAL SUELTO</b>	<b>"66"</b>	<b>612470,5125</b>	<b>9739321,191</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>10 M</b>
<b>MATERIAL SUELTO</b>	<b>"67"</b>	<b>613465,4151</b>	<b>9740515,155</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>12,2 M</b>
<b>MATERIAL SUELTO</b>	<b>"64"</b>	<b>610124,0973</b>	<b>9738762,396</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>**</b>
<b>MATERIAL SUELTO</b>	<b>"62"</b>	<b>608950,5125</b>	<b>9735676,191</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>10 M</b>
<b>MATERIAL SUELTO</b>	<b>"E1"</b>	<b>609015,7112</b>	<b>9733513,578</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>10 M</b>
<b>MATERIAL SUELTO</b>	<b>"59"</b>	<b>607555,4151</b>	<b>9732490,155</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>9,7 M</b>
<b>MATERIAL SUELTO</b>	<b>"58"</b>	<b>606810,5125</b>	<b>9730241,079</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>8,5 M</b>
<b>MATERIAL SUELTO</b>	<b>"57"</b>	<b>606147,9392</b>	<b>9730694,215</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>8,4 M</b>
<b>MATERIAL SUELTO</b>	<b>"54"</b>	<b>605182,2972</b>	<b>9728082,087</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>8,8 M</b>
<b>MATERIAL SUELTO</b>	<b>"53"</b>	<b>604546,8759</b>	<b>9728539,803</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>8,8 M</b>
<b>MATERIAL SUELTO</b>	<b>"51"</b>	<b>603286,107</b>	<b>9726233,34</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>8,1 M</b>
<b>MATERIAL SUELTO</b>	<b>"50"</b>	<b>602874,5591</b>	<b>9724117,58</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>9 M</b>
<b>MATERIAL SUELTO</b>	<b>"48"</b>	<b>602071,245</b>	<b>9722179,562</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>8,9 M</b>
<b>MATERIAL SUELTO</b>	<b>"46"</b>	<b>601311,0798</b>	<b>9720352,412</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>8,6 M</b>
<b>MATERIAL SUELTO</b>	<b>"45"</b>	<b>600901,6793</b>	<b>9720517,737</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>9,2 M</b>
<b>MATERIAL SUELTO</b>	<b>"43"</b>	<b>600179,0569</b>	<b>9718751,154</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>8,8 M</b>
<b>MATERIAL SUELTO</b>	<b>"44"</b>	<b>600522,3195</b>	<b>9718582,045</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>8,8 M</b>
<b>MATERIAL SUELTO</b>	<b>"40"</b>	<b>599568,6615</b>	<b>9716677,299</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>9,2 M</b>
<b>MATERIAL SUELTO</b>	<b>"39"</b>	<b>599294,2125</b>	<b>9716960,84</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>9,5 M</b>
<b>MATERIAL SUELTO</b>	<b>"37"</b>	<b>597883,653</b>	<b>9715596,004</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>11,8 M</b>
<b>MATERIAL SUELTO</b>	<b>"38"</b>	<b>598145,5125</b>	<b>9715311,191</b>	<b>120 M</b>	<b>REQUIERE DRAGADO</b>	<b>10,2 M</b>

MATERIAL SUELTO	"36"	596801,981	9714242,746	120 M	REQUIERE DRAGADO	11,8 M
	"35"	596549,8849	9714560,017			12,2 M
MATERIAL SUELTO	"32"	594024,9567	9712557,273	160 M	REQUIERE DRAGADO	12,6 M
MATERIAL SUELTO	"33"	595145,9684	9713370,843	160 M	REQUIERE DRAGADO	13,8 M
MATERIAL SUELTO	"29"	592565,4151	9712300,971	160 M	REQUIERE DRAGADO	11 M
MATERIAL SUELTO	"28"	591362,9618	9711372,685	160 M	REQUIERE DRAGADO	10,8 M
MATERIAL SUELTO	"26"	589210,4549	9710476,751	160 M	REQUIERE DRAGADO	12,2 M
MATERIAL SUELTO	"27"	591209,8878	9711744,456	160 M	REQUIERE DRAGADO	10,7 M
MATERIAL SUELTO	"24"	587713,8377	9709641,777	160 M	REQUIERE DRAGADO	16 M
MATERIAL SUELTO	"25"	589062,8217	9710861,439	160 M	REQUIERE DRAGADO	12,2 M
MATERIAL SUELTO	"B1"	585799,5784	9708636,113	160 M	REQUIERE DRAGADO	
MATERIAL SUELTO	"22"	586458,0801	9708280,952	160 M	REQUIERE DRAGADO	31,8 M
MATERIAL SUELTO	"23"	586437,4531	9708758,223	160 M	REQUIERE DRAGADO	31,8 M
MATERIAL SUELTO	"20"	585845,5125	9706346,191	160 M	REQUIERE DRAGADO	9,6 M
MATERIAL SUELTO	"21"	585440,4151	9706380,155	160 M	REQUIERE DRAGADO	9,6 M
	"17"	585260,4151	9703590,155	120 M	NO REQUIERE DRAGADO POZA	
	"18"	585684,1131	9703588,934	120 M	NO REQUIERE DRAGADO POZA	
	"16"	585505,2202	9699284,883	120 M	NO REQUIERE DRAGADO POZA	
	"15A"	584531,5107	9697255,11	180 M	NO REQUIERE DRAGADO CURVA	
	"15"	583595,4151	9694495,155	180 M	NO REQUIERE DRAGADO CURVA	
	"14"	584754,8318	9693765,088	180 M	NO REQUIERE DRAGADO CURVA	
ROCA Y MATERIAL SUELTO	"13"	582295,203	9693505,155	120 M	REQUIERE DRAGADO	30 M
ROCA Y MATERIAL SUELTO	"12"	580365,4837	9694500,672	120 M	REQUIERE DRAGADO	11,4 M
ROCA Y MATERIAL SUELTO	"11"	580529,6651	9694690,155	120 M	REQUIERE DRAGADO	11,3 M
ROCA Y MATERIAL SUELTO	"10"	578975,3203	9695735,263	120 M	REQUIERE DRAGADO	9,5 M
ROCA Y MATERIAL SUELTO	"8A"	578244,6664	9696440,999	120 M	REQUIERE DRAGADO	8,2 M
ROCA Y MATERIAL SUELTO	"9"	578824,8005	9696148,892	120 M	REQUIERE DRAGADO	9,8 M
ROCA Y MATERIAL SUELTO	"8"	576941,1217	9697488,247	120 M	REQUIERE DRAGADO	10 M
ROCA Y MATERIAL SUELTO	'6 A"	575325,5125	9698306,191	120 M	REQUIERE DRAGADO	10,2 M
ROCA Y MATERIAL SUELTO	"7"	575885,4151	9698840,155	120 M	REQUIERE DRAGADO	10,8 M
MATERIAL SUELTO	"6"	572825,5125	9698031,191	160 M	REQUIERE DRAGADO	10,8 M
MATERIAL SUELTO	"5"	572760,966	9698438,551	160 M	REQUIERE DRAGADO	10,8 M
MATERIAL SUELTO	"4"	570175,5125	9697531,191	160 M	REQUIERE DRAGADO	10,2 M
MATERIAL SUELTO	"3"	570085,4151	9697930,155	160 M	REQUIERE DRAGADO	10,2 M
MATERIAL SUELTO	"2"	567065,5125	9696931,191	160 M	REQUIERE DRAGADO	11 M
MATERIAL SUELTO	"1"	567086,3518	9697370,164	160 M	REQUIERE DRAGADO	11 M
MATERIAL SUELTO	'Boya de	565029,8771	9696689,929	160 M	REQUIERE DRAGADO	11 M

620750,948	9751649,7
620469,686	9751522,28
620893,06	9750986,21
621101,041	9750462,34
620670,359	9747965,76
620547,282	9748158,76
618949,993	9750089,19
618018,991	9752857,2
616708,723	9752992,32
616421,642	9753060,62
615608,683	9753184,94
614433,783	9751457,59
613259,236	9750747,03
620653,218	9748386,95
620275,435	9747961,43
618803,005	9749155,3
618916,444	9750371,74
619090,57	9751142,25
618734,852	9752012,08
616985,089	9752904,17
616448,088	9752915,89
615782,245	9753057,13
614953,642	9751482,34
613595,62	9750404,41
614224,777	9748897,79
615496,532	9746744,54
615122,362	9746750,92
614253,176	9745053,97
613831,501	9745053,97
621830,239	9747135,38
621383,148	9746670,64
620480,163	9746119,12
620813,694	9745965,41
620265,788	9744389,74
619721,543	9744204,76
619823,846	9744593,24
618597,12	9744908,1
617915,788	9744389,74
612470,513	9739321,19
613465,415	9740515,16
610124,097	9738762,4
608950,513	9735676,19
609015,711	9733513,58
607555,415	9732490,16
606810,513	9730241,08
606147,939	9730694,21
605182,297	9728082,09
604546,876	9728539,8
603286,107	9726233,34
602874,559	9724117,58

602071,245	9722179,56
601311,08	9720352,41
600901,679	9720517,74
600179,057	9718751,15
600522,32	9718582,04
599568,662	9716677,3
599294,213	9716960,84
597883,653	9715596
598145,513	9715311,19
596801,981	9714242,75
596549,885	9714560,02
594024,957	9712557,27
595145,968	9713370,84
592565,415	9712300,97
591362,962	9711372,69
589210,455	9710476,75
591209,888	9711744,46
587713,838	9709641,78
589062,822	9710861,44
585799,578	9708636,11
586458,08	9708280,95
586437,453	9708758,22
585845,513	9706346,19
585440,415	9706380,16
585260,415	9703590,16
585684,113	9703588,93
585505,22	9699284,88
584531,511	9697255,11
583595,415	9694495,16
584754,832	9693765,09
582295,203	9693505,16
580365,484	9694500,67
580529,665	9694690,16
578975,32	9695735,26
578244,666	9696441
578824,801	9696148,89
576941,122	9697488,25
575325,513	9698306,19
575885,415	9698840,16
572825,513	9698031,19
572760,966	9698438,55
570175,513	9697531,19
570085,415	9697930,16
567065,513	9696931,19
567086,352	9697370,16
565029,877	9696689,93